Kuuube's Tablet Buying Guide

All tablets on their respective lists are listed in order of best to worst raw performance. In cases of considerable tradeoffs in specs, the tablet with a higher Price/Performance Ranking will be placed higher. For tablets with a range of Targeted Prices, the average of that range is used for the Price/Performance Ranking.

Each category's Price/Performance rankings are separate. Tablets with the same Price/Performance in different categories are not equal. Refer to the Performance Ranking and other specs when comparing between categories.

Check the Targeted Price of tablets before buying. Secondhand options and some brand new options may be wildly more or less expensive than the Targeted Price. These differences can cause the price to performance ratings to change dramatically.

Check tablet sizing before you buy. Most players will be best with small size. Price to performance assumes you will use an area larger than smaller tablets. Do not buy a medium or large tablet if you do not need that area size.

If you wrap your pen, apply grip tape covering the pen's button rocker/cover, or make similar modifications, you must remove the button rocker/cover first. Issues that could occur from improper

							111	louincatio	ons are not noted in this guide.
							Br	and Ne	ew Low Budget Options
Brand	Model Identifier	Recommendation	Price/Performance Ranking	Targeted Price	Performance Ranking	Size Hardware Smoothin	g Hover Distance	Surface Feel	Additional Relevant Product Information
	S620 G640 Rev A	Highly Recommended Not Recommended	10/10	25-40 USD 40 USD	8	S Minimal S Minimal	Low	Low Friction Low Friction	Imput dispiping when pressing jean side buttons and firmware version can be upgraded or downgraded. Angle snapping issues, may be unreliable to boy (even when or centring a flex Ps, you my receive a flex Mer 8½, and input dropping when pressing pan side buttons.
	S640	Housely Not Recommended	7/10	20-35 USD	c	S More than minimal	Low	Low Friction	Angle snapping assen, may be connected to cour years make ordering a new A, you may receive a new by, and imposing person pressing person asset outcoms. May be connected by to buy, input dropping when pressing per side buttons, and one-destabable cable.
	VO1060	Usually Not Recommended	7/10	35-50 USD	c	M More than minimal	Medium	Low Friction	Input discopine when pressing pen side buttons and report rate may drop to 40hz when movine slowly.
	S640 V2	Not Recommended	5/10	20-35 USD	c	S More than minimal	Low	Low Friction	Input dropping when pressing pen side buttons, non-detachable cable, and report rate may drop to 40hz when moving slowly.
n	H420X	Not Recommended	4/10	25 USD	c	XS Decent	Medium	Low Friction	Input dropping when pressing pen side buttons.
	G430 or G4305	Not Recommended	4/10	30 USD	c	XS Decent	Medium	Low Friction	Angle snapping issues, input dropping when pressing pen side buttons and non-detachable cable.
in	Deco Fun XS	Not Recommended	4/10	25-30 USD	c	XS Decent	Medium	Low Friction	Input glitching and dropping when pressing pen side buttons, strong anti-chatter (lessened when dragging), and surface prone to loud squeaking when dragging on it.
	9630 9830	Highly Not Recommended	3/10	30-35 USD 35-40 USD	c	XS Bad S Bad	Low	Low Friction	Input dropping when pressing pen side buttons.
	\$830 91,640	Highly Not Recommended	3/10	35-40 USD 25-30 USD	c	S Bad S Barl	Low	Low Friction	toput dropping when pressing pen side buttons.
	P1-640 G6406	Highly Not Recommended Highly Not Recommended	1/10	25-30 USD 50 USD	D	S Bad S Bad	Low	Low Friction	Input dropping when pressing pen side buttons. Angles reapping issues and input dropping when pressing pen side buttons. Angles reapping issues and input dropping when pressing pen side buttons.
in In	G640 Rev B	Highly Not Recommended	1/10	40 USD	0	S Bad	Low	Low Friction	Angle in suppring course and input cropping writer pressing persisted outside. Imput disposing which pressing pass is delebutions.
	HS64	Highly Not Recommended	1/10	30-40 USD	0	S Bad	Low	Low Friction	impast unspirate within pressing pain and executive. Impast dropping within pressing pain side bustons.
	420 or H420	Extremely Highly Not Recommended		20-35 USD	F	XS Bad	Medium	Low Friction	imput unipput person pe
	H640P	Extremely Highly Not Recommended	0/10	30-40 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pen side buttors.
	H430P	Extremely Highly Not Recommended	0/10	30-40 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pen side buttons.
	X1-640	Extremely Highly Not Recommended	0/10	25-30 USD	F	S Very Bad	Low	Low Friction	Input dropping when pressing pan side buttons.
							Se		and Low Budget Options
nd m	Model Identifier CTL-471	Recommendation Highly Recommended	Price/Performance Ranking 9/10	Targeted Price 35-45 USD	Performance Ranking	Size Hardware Smoothin	g Hover Distance High	Surface Feel Low Friction	Additional Relevant Product Information
	CTL/H-480	Recommended For Low Budget	7/10	35-45 USD	A	S None	High	Mid Friction	Mary have minor EMR noise issues (this causes your cursor to shake more).
m	CTL/H-470	Highly Recommended	10/10	20-30 USD	A	S None	Medium	High Friction	
m	CTH-461	Highly Recommended	9.5/10	20-30 USD	A	S None	Medium	Low Friction	Non-detachable cable.
	CTL/H-460	Recommended	9/10	20-30 USD	A	S None	Medium	High Friction	Non-detachable cable.
m	CTH-661	Highly Recommended	10/10	20-30 USD	A	M None	Medium	Low Friction	Non-detachable cable.
om	CTL/H-490	Extremely Highly Not Recommended	2/10	20-30 USD	C	S Bad	Medium	High Friction	Hardware smoothing is disabled when pen pressure is detected, and glitchy hover/drag transition.
							ы		ew Mid Budget Options
and	Model Identifier CTL-472	Recommendation	Price/Performance Ranking 10/10	Targeted Price 50-60 USD	Performance Ranking	Size Hardware Smoothin S None	Medium	Surface Feel High Friction	Additional Relevant Product Information Under race conditions, may have input dropping or jumping when pressing pen side buttons.
om	CTL-672	Highly Recommended	10/10	70-90 USD	A	M None	Medium	High Friction	Under rare continuoms, may nave input oroping or jumping when pressing part size dustross. Maly have issues reporting correct hover distance measurements and under rare conditions, may have input dropping or jumping when pressing pen side buttons.
om	CTC-4110WL	Highly Not Recommended	2/10	90-130 USD	8	S Minimal	High	Mid Friction	Slight input glitching, report rate dropping when pressing pen side buttons, and horrible glitchy pressure (this is bad for drawing).
om	CTL-4100	Extremely Highly Not Recommended	1/10	70-80 USD	c	S Bad	High	High Friction	Hardware smoothing is disabled when pen pressure is detected, minor anti-chatter remains.
							Se	condha	and Mid Budget Options
and	Model Identifier	Recommendation	Price/Performance Ranking	Targeted Price	Performance Ranking	Size Hardware Smoothin	g Hover Distance	Surface Feel	Additional Relevant Product Information
	PTH/X-450	Recommended	7/10	80-100 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wecom tablets.
	PTK-440	Highly Recommended	10/10	50-60 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets.
	PTH-451	Recommended	7/10	80-100 USD	S	S None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets, may have minor EMR noise issues (this causes your cursor to shake more).
em.	PTK-640	Highly Recommended	10/10	70-100 USD	S	M None	High	Mid Friction	Boosted report rate compared to consumer line wacom tablets.
	CTL/H-480	Not Recommended For Mid Budget	4/10	70-100 USD	A	S None	High	Mid Friction	May have minor EMR noise issues (this causes your cursor to shake more).
	CTL-671 CTL01-670	Highly Recommended	10/10	60-70 USD	A	M None	High	Low Friction	
		Not Recommended	10/10	50-60 USD	A	M None	Medium	High Friction	As how size SM said from this case was counted able and
icom	CTL/H-690 CTL/H-690	Not Recommended Extremely Highly Not Recommended	10/10 5/10 1/10	50-60 USD 90-120 USD 70-90 USD	A A C	M None M None M Bad		High Friction Mid Friction High Friction	May have minor EMR noise issues (this causes your cursor to shake more). Hardware smoothing is disabled when pan preserve is detected, and globy hover/for g transition.
com	CTH-680		5/10	90-120 USD	A A C	M None	Medium High Medium	High Friction Mid Friction High Friction	Hardware smoothing is disabled when pan pressure is detected, and glitchy hover/drag transition.
com com	CTH-680 CTL/H-680 Model Identifier		5/10 1/10 Price/Performance Ranking	90-120 USD 70-90 USD Targeted Price		M None M Bad Size Hardware Smoothin	Medium High Medium Br Hover Distance	High Friction Mid Friction High Friction and Ne	Transace recording is disabled when pure pressures is distincted, and globally bearefoling transition. EVM High Budget Options Additional failurement Product Information
com com	CTL/H-690 CTL/H-690 Model Identifier PTH-460	Extremely Highly Not Recommended Recommendation Usually Not Recommended	5/10 1/10 Price/Performance Ranking 5/10	90-120 USD 70-90 USD Targeted Price 250 USD		M None M Bad Size Hardware Smoothin S None	Medium High Medium Br Hover Distance Extremely High	High Friction Mid Friction High Friction and Ne Surface Feel Low Friction	Teachance recording is disabled when purp pressure is detected, and glitchy beary/drag transition. WHIGH BUDGET Options Additional Initional Product Information Bootset report rate companed to consumer for section ballets, extremely high pressure scan rate (part taps used alread intentingly, developed) and confidence in house, and glitchy position reporting when pen is titled roughly 15° or lower to the tablet.
om om	CTL/H-680 CTL/H-680 Model Identifier PTH-460 PTH-660		5/10 1/10 Price/Performance Ranking 5/10 5/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD		M None M Bad Size Hardware Smoothin	Medium High Medium Br Br Hover Distance Extremely High Extremely High	High Friction Mid Friction High Friction and Ne Surface Feel Low Friction Low Friction	Medicard Information of subsidiar always programmer as distincted, and glicity hover/foral transition. Bew High Budget Options Additional Information Additional Informatio
and com	CTL/H-680 CTL/H-690 Model Identifier 9TH-460 9TH-660 9TH-860	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended	5/10 1/10 Price/Performance Ranking 5/10 5/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD		M None M Bad Size Hardware Smoothin S None L None	Medium High Medium Br Hover Distance Extremely High Extremely High Extremely High	High Friction Mid Friction High Friction and Ne Surface Feel Low Friction Low Friction Low Friction	Technical Controlling is disabled when pure pressures districted, and glightly hower/drag transitions. WHIGH BURGET OPTIONS Additional flaturant Product Information Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely high pressure scar case jues to be selected. Booked report out compared to community for assection flates, extremely assection for an extremely compared to community for assection flates. Booked report out compared to community for assection flates, extremely assection flates and the compared to community for assection flates. Booked report out compared to community for assection flates and the compared to community for assection flates. Booked report out compared to community for assection flates, extremely assection flates. Booked report out compared to community flates assection flates. Booked report out compared to community flates assection flates. Booked report out compared to community flates assection flates. Booked report out community flates assection flates assection flates. Booked report out community flates assection flates assection flates. Booked report out community flates assection flates assection flates. Booked report out community flates assection flates assection flates. Booked report out community flates assection flates assection flates. Booked report out community flates assection flates. Booked report out community flates assection flates assection flates ass
rand com	Model Identifier 9TH-460 9TH-660 9TH-860 CTC-6110WL	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended	5/10 1/10 1/20 Price/Performance Ranking 5/10 5/10 1/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 140-165 USD		M None M Bad Size Hardware Smoothin S None M None M Mine M Minimal	Medium High Medium Br g Hover Distance Extremely High Extremely High High	High Friction Mid Friction High Friction and Ne Surface Feel Low Friction Low Friction Low Friction Mid Friction	**Medicard Misease Producting in disubled when promovers defected, and globally hover/forag towardors. **Build Build Bu
and om om om om om	Model Identifier PTH-460 PTH-460 PTH-560 PTH-560 CTC-6110WL CTL-6100	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Extremely Righly Not Recommended	5/30 1/10 Price/Performance Ranking 5/30 5/30 1/30 0/30	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 140-165 USD 200 USD		M None M Bad Size Hardware Smoothin S None M None L None M Meimal M Bad	Medium High Medium Br g Hover Distance Extremely High Extremely High High High	High Friction Mid Friction High Friction and Ne Surface Feel Low Friction Low Friction Low Friction Mid Friction High Friction	The controlling is disabled when any reviewer district, and glightly hower/long transition. WHIGH BURGET OPTIONS Additional Interest Product Information Bootster report and compared to consumer for wavcom buffers, extremely high pressure scar rate (pinn to guess and and control interestly, eleventhey interest and control interestly, buffers and control interestly, advanturely and glittly position reporting when pens is filled roughly 15° or lower to the station. Bootstef report on compared to control in season to taken, extremely high pressure can rate (pinn to guess and the station interestly). Assured to present a compared to control in season to taken, extremely high pressure can rate (pinn to guess and the station interestly). Assured to the station interestly and the station i
and om om om om om om om	CTH-680 CTL/H-690 Model Identifier PTH-460 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 1/10 Price/Performance Ranking 5/10 5/10 1/10 0/10 0/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 340-165 USD 200 USD 340 USD	Performance Ranking S+ S+ C D	M None M Bad Size Hardware Smoothin S None M None L None M Minimal M Bad M Bad	Medium High Medium Br Br # Hover Distance Extremely High Extremely High High High High	High Friction Mid Friction High Friction High Friction Surface Feel Low Friction Low Friction Low Friction High Friction High Friction Low Friction High Friction Low Friction	We High Budget Options Additional fluidant Product Information Additional fluidant Informat
and om om om om om om om	Model Identifier PTH-460 PTH-460 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 1/10 Price/Performance Ranking 5/10 5/10 5/10 0/10 0/10 0/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD	Performance Ranking S+ S+ C D	M None M Bad Size Hardware Smoothin M None L None M Minimal M Bad M Bad M Bad	Medium High Medium Br g Hover Distance Extremely High High High High High	High Friction Mid Friction High Friction Friction and Ne Surface Feel Low Friction Low Friction Low Friction Low Friction High Friction Low Friction Low Friction Low Friction Low Friction Low Friction Low Friction	The controlling is disabled when any pressure is distinct, and glithy hower/long transition. **EW High Budget Options** **Additional Messart herbord information** **Boated report atte compared to consume for secure in laters, extension just just just passes are rate just to go and interest herbord information. **Boated report atte compared to consume for secure in laters, extension just just just just just just just just
and om om om om om om om om	Model Identifier PTH-460 PTH-660 PTH-660 PTH-880 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Deco Pro LW Gen2	Extremely Highly Not Recommended Secommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Extremely Highly Not Recommended	5/10 1/10 Price/Performance Ranking 5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	90-120 USD 70-90 USD 70-90 USD 70-90 USD 350 USD 350 USD 400-500 USD 440-165 USD 200 USD 140 USD 170 USD 200 USD	Performance Ranking S+ S+ C D	M None M Bad Size Hardware Smoothin S None L None M Missimal M Bad M Bad M Bad M Bad M Bad	Medium High Medium Br Hover Distance Extremely High Extremely High High High High High	High Friction Mid Friction Mid Friction High Friction Surface Feel Low Friction	The controlling is disabled when any pressure is distinct, and glithy hower/long transition. **EW High Budget Options** **Additional Messart herbord information** **Boated report atte compared to consume for secure in laters, extension just just just passes are rate just to go and interest herbord information. **Boated report atte compared to consume for secure in laters, extension just just just just just just just just
and om om om om om om om	Model Identifier PTH-460 PTH-460 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2	Extremely Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended Extremely Highly Not Recommended	5/10 1/10 Price/Performance Ranking 5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	90-120 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 140-165 USD 200 USD 140 USD 170 USD	Performance Ranking S+ S+ C D	M None M Bad Size Hardware Smoothin M None L None M Minimal M Bad M Bad M Bad	Medium High Medium Br Hover Distance Extremely High Extremely High High High High High High High High	High Friction Mid Friction Mid Priction Mid Priction And Ne Surface Feel Low Friction	We High Budget Options Additional Messert Product Information Bootstee report at companed to consume for security of the present sear rate (pin to the sear the plant intensity, destinated) present at companed to consume for security of the present sear rate (pin to the sear the plant intensity, destinated) present according to the plant intensity, destinated present according to the plant intensity, according to the plant intensity acco
and om om om om om om om en en en	CTH-680 CTL/H-690 Model Identifier PTH-660 PTH-660 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro XUW Gen2 Deco Pro XUW Gen2 Pen Tablet Small	Estremily Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Highly Not Recommended Estremily Highly Not Recommended	5/10 1/20 Price/Performance Ranking 5/10 5/10 5/10 1/20 0/10 0/10 0/10 0/10 0/10 0/10	90-220 USD 70-90 USD 70-90 USD 250 USD 350 USD 400-500 USD 440-165 USD 200 USD 140 USD 170 USD 200 USD 200 USD 200 USD 200 USD 200 USD 200 USD	Performance Ranking 5+ 5+ 5- 6- C D D F	M None M Bad Size Hardware Smoothin None None None M None M Mad Bad M Bad	Medium High Medium Br g Hover Distance Extremely High Extremely High High High High Medium Sec	High Friction Mid Friction Mid Friction Mid Priction And Ne Surface Feel Low Friction Low Fricti	We High Budget Options Additional followant Product Information Additional followant Inf
om o	CTH-680 CTL/H-690 Model Identifier PTH-460 PTH-860 PTH-860 PTH-860 CTC-6110WL CTC-6110WL CTC-6110WL Deco Pro LW Gen2 Deco Pro LW Gen2 Deco Pro LW Gen2 Pen Tablet Small Model Identifier PTH-451	Extremely Highly Not Recommended Recommendation Usually Has Recommended Usually Has Recommended Usually Has Recommended Usually Has Recommended Extremely Highly Not Recommended Recommendation	5/10 1/10 Price/Performance Ranking 5/10 5/10 1/10 0/10 0/10 0/10 0/10 0/10	90-220 USD 70-90 USD 70-90 USD Targeted Price 250 USD 350 USD 440-500 USD 140-165 USD 200 USD 140 USD 270 USD 200 USD 170 USD 200 USD 200 USD 200 USD	Performance Ranking S+ S+ C D	M None M Bad Size Hardware Smoothin None L None M N	Medium High Medium Br g Hover Distance Extremely High High High High Medium Se(g Mover Distance) High High High High Medium	High Friction Mid Friction Mid Friction High Friction Surface Feel Low Friction Low	We High Budget Options Additional Messert Product Information Bootstee report at companed to consume for security of the present sear rate (pin to the sear the plant intensity, destinated) present at companed to consume for security of the present sear rate (pin to the sear the plant intensity, destinated) present according to the plant intensity, destinated present according to the plant intensity, according to the plant intensity acco
and om om elabs	Model Identifier PTH-460 PTH-460 PTH-460 PTH-460 PTH-860 PTH-861 Model Identifier PTH-451 PTH-651	Estremily Highly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Highly Not Recommended Estremily Highly Not Recommended	5/10 Price/Performance Ranking 5/10 5/10 5/10 5/10 6/10	90-220 USD 70-90 USD 70-90 USD 70-90 USD 250 USD 350 USD 440-500 USD 240-165 USD 270 USD 200 USD 200 USD 200 USD 200 USD 270 U	Performance Ranking 5+ 5+ 5- 6- C D D F	M None M Bad Bad Hardware Smoothin None None None None None None None Non	Medium High Medium Br g Hover Distance Extremely High Extremely High High High High Medium Sec	High Friction Mild Friction Mild Friction And Net Surface Feel Low Friction Mild Friction Low Friction Mild Friction	We High Budget Options Additional followard Product Information Additional followard Information To this was considered in comment of two considered in the con
and om om om om om om om om en en en en en en	CTH-680 CTL/H-690 Model Identifier PTH-460 PTH-660 PTH-660 PTH-660 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro XXW Gen2 Pen Tablet Small Model Identifier PTH-651 PTH-651 PTH-650	Extremely Highly Not Recommended Recommendation Usually Has Recommended Usually Has Recommended Usually Has Recommended Usually Has Recommended Extremely Highly Not Recommended Recommendation	5/10 1/10 Price/Performance Banking 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	90-120 USD 70-90 USD 70-90 USD Targeted Price 250 USD 350 USD 40-165 USD 140-165 USD 140-150 USD 140-157 USD 100-150 USD 100-150 USD 100-150 USD 100-150 USD 100-150 USD 100-150 USD	Performance Ranking 5+ 5+ 5- 6- C D D F	Mone Mad Size Hardware Smoothin Mone Mone Mone Mone Mone Mone Mone Mon	Medium High Medium Br g Hover Distance Estremely High Estremely High High High High Medium Set Hover Distance High	High Friction Mid Friction High Friction High Friction Surface Feel Low Friction Mid Friction	The controlling is disabled when per pressure is directed, and glishly howofoling treatment. **Bodder report are compared to community for several basines, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure scar rate (parts tags used almost instanting, extensive flying pressure and challenge on those, and glistly position reporting when person is their coughly 5.7° or lower to the statest. Safet strong distings, quote rate designing when pressing parts sold extensive, and planting parts on the statest in the coughly 5.7° or lower to the statest. Safet strong distings, quote rate designing when pressing parts sold extensive, and sold for savenging. **The structure secondary disquared and sold extensive flower in the statest of savenging their pression reporting when person is their roughly 5.7° or lower to the statest. **The structure secondary disquared and sold extensive flower in the statest of savenging their pression reporting when person is their roughly 5.7° or lower to the statest consistent of the statest of savenging their pression reporting when person is the roughly 5.7° or lower to the statest consistent of the statest of savenging their pression reporting when person is the roughly 5.7° or lower to the statest consistent of the statest of the savenging through the person is the roughly 5.7° or lower to the statest consistent of the savenging through their pression reporting their person is the savenging through their roughly 5.7° or lower to the statest consistent of the savenging through their person is the savenging through their person is the savenging through their person is the savenging thr
and om om om om en en elabs	Model Identifier PTH-460 Model Identifier PTH-460 PTH-460 PTH-560 CTC-6100 Deco Pro MW Gen2 Deco Pro XWV Gen2 Pen Tablet Small Model Identifier PTH-451 PTH-551 PTH-551 PTH-551	Extremely Highly Not Recommended Recommendation Usually Has Recommended Usually Has Recommended Usually Has Recommended Usually Has Recommended Extremely Highly Not Recommended Recommendation	5/10 Price/Performance Ranking 5/10 5/10 5/10 5/10 6/10	90-120 USD 70-90 USD 70-90 USD Targeted Price 250 USD 350 USD 350 USD 240-165 USD 240-165 USD 240 USD 250 USD	Performance Ranking 5+ 5+ 5- 6- C D D F	M None M Bad Hardware Smoothin None None None None None None None Non	Medium High Medium Br g Hover Distance Extremely High Extremely High High High High Medium Seq. Seq. Seq. Brover Distance High High High High High Medium Seq. Seq. High High High High High High High Hig	High Friction Mid Friction High Friction High Friction The Mid Friction The Mid Friction Surface Feel Low Friction Mid Friction	WHIGH BURGET OPTIONS Additional flatecent Product Information Boarded report are companed to consumer for an excent lateria, sectioning high pressure scar case (part to passed and passed as possed to consumer for an excent lateria, sectioning high pressure scar case (part to passed as possed as possed to consumer for an excent lateria, sectioning high pressure scar case (part to passed as possed to consumer for an excent lateria, sectioning high pressure scar case (part to passed as possed to consumer for an excent passed as possed to consumer for an excent lateria, sectioning high pressure scar case (part to passed as possed to passed to consumer for an excent lateria, sectioning high pressure scar case (pass to passed to passed to passed to consumer for an excent lateria, sectioning high pressure scar case (passed to passed to passed to consumer for an excent lateria, sectioning high pressure scar case (passed to passed to passed to consumer for an excent lateria, sectioning high pressure scar case (passed to passed to consumer for an excent lateria, sectioning high pressure scarce (passed to consumer for an excent lateria, sectioning distinguish, report case deposing value passed as an excent lateria, section of passed to consumer for an excent lateria, section as excent lateria when his more injury as an explicit high homer/lang transition. **Total Consumer for a passed to consumer for an excent lateria, may have more EMR-scale touser passed to consumer for accompaned to
and om om om on	CTH-680 CTL/H-690 Model Identifier PTH-460 PTH-460 PTH-860 PTH-860 CTC-6110WL CTL-6100 Deco Pro MW Gen2 Deco Pro LW Gen2 Pen Tablet Small Model Identifier PTH-451 PTH-651 PTH-K-650 PTH-851 PTH-850 PTH-851	Extremely Highly Not Recommended Recommendation Usually Has Recommended Usually Has Recommended Usually Has Recommended Usually Has Recommended Extremely Highly Not Recommended Recommendation	5/10 Price/Performance Ranking 5/10 5/10 5/10 5/10 6/10	90-120 USD 70-90 USD 70-90 USD Targeted Price 250 USD 350 USD 400-500 USD 140-150 USD 170 USD 200 USD 140 USD 170 USD	Performance Ranking 5+ 5+ 5- 6- C D D F	Management of the state of the	Medium High Medium Br B Mover Distance Extremely High Extremely High High High High Medium Sec Mover Distance High High High High High High High High	High Friction Mid Friction High Friction High Friction High Friction And Ne Surface Feel Low Friction Mid Friction	We High Budget Options Additional Information Additi
and om om om on	Model Identifier PTH-460 Model Identifier PTH-460 PTH-460 PTH-560 CTC-6100 Deco Pro MW Gen2 Deco Pro XWV Gen2 Pen Tablet Small Model Identifier PTH-451 PTH-551 PTH-551 PTH-551	Extremely Highly Not Recommended Recommendation Usually Has Recommended Usually Has Recommended Usually Has Recommended Usually Has Recommended Extremely Highly Not Recommended Recommendation	5/10 Price/Performance Ranking 5/10 5/10 5/10 5/10 6/10	90-120 USD 70-90 USD 70-90 USD Targeted Price 250 USD 350 USD 350 USD 240-165 USD 240-165 USD 240 USD 250 USD	Performance Ranking 5+ 5+ 5- 6- C D D F	M None M Bad Hardware Smoothin None None None None None None None Non	Medium High Medium Br B Mover Distance Extremely High Extremely High High High Medium Sec B Mover Distance High High Medium Sec B Mover Distance High High High High High High High High	High Priction Med Friction And Priction And Priction And Net Surface Real Low Friction Med Friction Low Friction Med Frict	WHIGH BURGET OPTIONS Additional fideword Product Information Boassed report as companed to consumer for as each studies, extremely high present scar rate (parts to pass during a large and additional fideword Product Information Boassed report as companed to consumer for as each studies, extremely high present scar rate (parts to pass during a large and additional fideword Product Information Boassed report as companed to consumer for as each substant, extremely high present scar rate (past to pass during a large and additional fideword Product Information Consumer for as each pass and to additional fideword Product Information Consumer for as each pass and to additional fideword product on books, and glitchy production reporting when press in thick requipt, 15° or lower to the student report of as each consumer for assembly and to a student report of an extremely pulse pressing gas and additional, extremely high pression consumer for assembly and the student report of an extremely pulse pressing gas and additional, extremely high pression consumer for assembly a fine pass in the for drawing. Sufficient fideword production for a student develope are pression for a distribute when becoming for any end glitchy bear-foring transition. The students are monoting drawing to a December and one distribute for additional fideword production. The students are monoting drawing to a December and one distribute for additional fideword production. The students are monoting drawing to a December and one distribute for additional fideword production. The students are monoting drawing to a December and one distribute for additional fideword production. The students are monoting drawing to a December and one distribute for additional fideword production. The students are monoting drawing to a December and one distribute for additional fideword product and students. But the students are monoting drawing to a student develope process and additional fideword product and students. But the students are monoting drawing to
and om	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 Model Identifier PTH-480 PTH-480 PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 Model Identifier PTH-481 Model Identifier PTH-481	Estorenily Figilly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Estorenily Figilly Not Recommended Recommendation Not Recommendation Recommended Recommended Recommended Recommended	5/10 Price/Performance Banking 5/10 Frice/Performance Banking 5/10 5/10 6/	96-120 USD 70-96 USD 70-96 USD Targeted Price 220 USD 330 USD 330 USD 330 USD 330 USD 340 USD	Performance Ranking 5+ 5+ 6- 0 0 0 F	Mone May Bad Size Nardware Smoothin Mone Mone Mone Mone Mone Mone Mone Mon	Medium High Medium Br Br Wover Distance Extremely Frigh Figh Figh Figh Figh Figh Figh Figh F	High Friction Mid Friction Mid Friction High Friction Further Feet Look Friction Mid Friction Look Friction Mid Friction Mid Friction Mid Friction Mid Friction Look Frict	WHIGH BURGET OPTIONS Additional flavour Product Information Boated report as compared to commune for one section labelets, exceeping high pressure score rate (port to see sent date). Boated report as compared to commune for one section labelets, exceeping high pressure score rate (port to see sent date). Boated report as compared to commune for one section labelets, exceeping high pressure score rate (port to see sent date). Solid troug failure, report cas dropping when pressing pass side alternate, externate (port to see section labelets). Solid troug failure, report cas dropping when pressing pass side alternate, and branching glithy pressure score rate (port to see section labelets). Solid troug failure, report cas dropping when pressing pass side alternate, and branching glithy pressure score (port to pass side to for downey). The section section of the section of th
and om	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 Model Identifier PTH-480 PTH-480 PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 DEC PTH-480 Model Identifier PTH-481 Model Identifier PTH-481	Estorenily Figilly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Estorenily Figilly Not Recommended Recommendation Not Recommendation Recommended Recommended Recommended Recommended	5/20 **Prior/Performance Banking 5/20 5/20 5/20 5/20 5/20 6/20 6/20 6/20 6/20 6/20 6/20 6/20 6	90-130 USD 70-90	Performance Ranking	Millione Mil	Medium High Medium Br g Mover Distance Extremely Frigh Figh Figh Figh Figh Figh Figh Figh F	High Friction Mad Priction High Friction For And Control For Feet Look Friction Migh Friction Look Friction And Friction Mid Friction And Friction And Friction Look Frict	Exemple 1 of the control of the cont
and om om om on	CTH-680 CTL/M-680 CTL/M-680 CTL/M-680 CTL/M-680 PTH-460 PTH-460 CTC-610W CT	Estremity Highly Not Recommended Macommendation Dark 1, the Recommendation Dark 1, the Recommended For Recommended Highly the Recommended Highly the Recommended Estremity Highly Not Recommended Estremity Highly Not Recommended Estremity Highly Not Recommended Estremity Highly Not Recommended	5/20 Price/Performance Banking 5/20 5/20 5/20 5/20 6/20	90-130 USD 70-90	Performance Ranking S-	M Nove Bit Mardane Smoothin M Nove Bit Mardane Smoothin M Nove Bit	Medium High Medium Figh Medium E More Distance Estremely High Estamenly High High High High High High High High	Ingh Priction Med Priction Med Priction Med Surface Red Low Friction And Friction Med Friction Med Friction Low Med Friction Med Friction Med Friction Med Friction Low Fricti	WHIGH BURGET OPTIONS Additional followed Product Information Boated report not companed to commune for the section falled, sectionally high pressure scar rate (pins the section falled) and the contribution followed for the companed to commune for the section falled, sectionally high pressure scar rate (pins the section falled) and the contribution falled reporting a fine passes to the section falled reporting a fine passes to the
and om om om elabs	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 PTH-460 PTH-460 PTH-460 PTH-460 CTC-61100M CTC-61100M Dec Pre LW Gerz Dec Pre LW Gerz Dec Pre LW Gerz Dec Pre LW Gerz PTH-451 PTH-451 PTH-451 PTH-451 PTH-451 PTH-451 Model Identifier	Estremity Figihy Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Figih Not Recommended Figih Not Recommended Estremity Figih Not Recommended Recommendation Recommendation Recommended Recommended Recommended	5/20 **Price/Performance Banking 5/20 5/20 5/20 5/20 5/20 6/20 6/20 6/20 6/20 6/20 6/20 6/20 6	90-130 USD 70-90	Performance Ranking S-	M Nove Bit Mardane Smoothin M Nove Bit Mardane Smoothin M Nove Bit	Medium High Medium High Medium E More Distance Extremely High Extremely High High High High High High High High	Nigh Friction Mid Friction Nigh Friction Surface Red Surface Red Low Friction Low F	Additional fulceses through the comment of the comm
and om	CTH-680 CTL/H-690 CTL/H-690 CTL/H-690 CTL/H-690 PTH-690 PTH-690 CTC-6110W CT	Estremity Figihy Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended High You Recommended High You Recommended High You Recommended Estremity Figih You Recommended Recommended Recommended Recommended Recommended Estremity Recommended Estremity Figih Wight Estremity Recommended Estremity Figih Wight Estremity Fight Wight Estremity Figih Wight Estremity Fight Estremity Figih Wight Estremity Figih Wight Estremity Fight Estremity Figih Wight Estremity Fig	5/20 - Prical/Performance Ranking 5/20 5/20 5/20 6/20 6/20 6/20 6/20 6/20 6/20 6/20 6	90-130 USD 70-90	Performance Runking 5-	Months Marchant Smoothin Size Marchant Smoothin Months	Medium High Medium High Medium E Move Dilatance Estremiy High E Latanceniy High High High High High High High High	Nigh Friction Mid Priction Nigh Friction Sourface Red Sourface Red Low Friction Mid Priction Mid	We High Budget Options Additional factored Product Information Boarded report do company to commune for assembly high presence scar rise (per to the seed of the per to company to the company to commune for assembly the presence scar rise (per to the seed of the per to company to commune for assembly the per to company to commune for assembly the per to company to commune for assembly the per to company the company the per to company the company the per to company the company the per to the company the company the per to company the company the per to the company
nd mm	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 PTH-460 PTH-460 PTH-460 PTH-460 CTC-61100M CTC-61100M Dec Pre LW Gerz Dec Pre LW Gerz Dec Pre LW Gerz Dec Pre LW Gerz PTH-451 PTH-451 PTH-451 PTH-451 PTH-451 PTH-451 Model Identifier	Estremity Figihy Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Figih Not Recommended Figih Not Recommended Estremity Figih Not Recommended Recommendation Recommendation Recommended Recommended Recommended	5/20 **Price/Performance Banking 5/20 5/20 5/20 5/20 5/20 6/20 6/20 6/20 6/20 6/20 6/20 6/20 6	90-130 USD 70-90	Performance Rushing 5- 5- 5- 5- 6- 0- 0- 0- 7 Performance Rushing 5- 5- 5- 5- 5- 5- 5- 5- 5- 5- 5- 5- 5-	M Nove Bit Mardane Smoothin M Nove Bit Mardane Smoothin M Nove Bit	Medium High Medium High Medium BBr 8 Mover Distance Extremely High Extremely High High High High Medium Common Medium Me	Nigh Friction Midd Friction Nigh Friction Sourface Red Sourface Red Low Friction And Friction Mid Friction Mid Friction Mid Friction Mid Friction Mid Friction Low Friction Lo	Additional function functions (and pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to compare to community or the sure to the state of the pure to the pure to the state of the pure to the pure to the state of the pure to th
and	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 PTH-480 PTH-480 PTH-480 CTH-580 CTH-580 CTH-580 Dec Pro LW Genz Dec	Estorenity Highly Not Recommended Usually In Encommendation Usually In Encommendation Usually In Encommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Estorenity Highly Not Recommended Recommended Recommended Recommended Recommended Recommended Estorenity Highly Not Recommended Estorenity Highly Not Recommended Recommended or Not	5/10 Prical/Performance Ranking 5/10 5/10 5/10 5/10 5/10 5/10 5/10 6/1	90-130 USD 70-90	Performance Rushing 5-1 5-1 5-1 5-2 5-2 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3	Money Size Marduers Snoothing Money Money	Medium High Medium High Medium E Move Dilatance Estremiy High E Latanceniy High High High High High High High High	Nigh Friction Mad Friction Nigh Friction Nigh Friction Nigh Friction Surface Feel Low Friction Low Friction Mad Priction Mad Priction Mad Priction Low Friction Low Friction Low Friction Low Friction Low Friction Mad Priction Low Friction Low Friction Low Priction L	We High Budget Options Additional falcoust Product Information Budget report to compared to commerce for some tables, sectionally high pressure soor risk per to the sent distinct interests, whereast per to the compared to commerce for some tables, sectionally high pressure soor risk per to the sent distinct interests, whereast per to the compared to commerce for some tables, sectionally high pressure soor risk per to the sent distinct interests, whereast per to the compared to commerce for some tables, sectionally high pressure soor risk per to the sent distinct interests, whereast per to the compared to commerce for some tables, sectionally high pressure soor risk per to the sent distinct interests, whereast per to the compared to commerce for some tables, sectionally and per to the compared to commerce for some tables, sectionally and per to the compared to commerce for some tables, sectionally and per to the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the compared to commerce for some tables, sections, and the personal tables, sections, and the personal tables, sections, sections, and the personal tables, sections, sectio
nd mm	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 Model Identifier PTH-460 PTH-460 PTH-460 CTL-6100 CTL-6100 CTL-6100 Model Identifier PTH-451 PTH-450 P	Extremely Highly Not Recommended Measuremendation Ward 1 in Recommendation Usual 1 in Recommended Usual 2 in Recommended Highly Not Recommended Highly Not Recommended Extremely Highly Not Recommended For Recommended For Recommended Recommended for Loss Molt Subject Recommend	5/10 Prior/Performance Banking 5/10 Prior/Performance Banking 5/10 5/10 5/10 5/10 5/10 6/	90-170 USD 70-90	Performance Rushing 5-1 5-2 5-3 5-3 6-6 0 0 0 7 Performance Rushing 5-5 5-5 5-5 5-5 5-5 5-5 5-5 5-5 5-5 5-	Money State Mandames Smoothin Money Money	Medium High Medium High Medium Extremely High High High High High High High High	Ingh Priction Mid Friction Ingh Priction Surface Peel Surface Peel Loor Friction Mid Friction Mid Friction Mid Friction Mid Friction Loor Loor Loor Loor Loor Loor Loor Loor	We High Budget Options Additional follows Product Information Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests). Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests), extensively not commerce and distance prepared using present scar rate (per to the seed distance interests). Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests), extensively interests or the latest compared to commerce from some tables, extensively high present scar rate (per to tap and distance interests), extensively and per to the latest could be a seed of the latest and the lates
and sem	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 PFH-680 PFH-680 PFH-680 CTH-680 CTH-680 Dec Pre LW Genz Dec Pre LW G	Esternely Figilly Not Recommended Recommendation Usually Not Recommended Usually Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Esternely Figilly Not Recommended Facommended Recommended Recommende	5/10	90-130 USD 70-90	Performance Rushing 5-1 5-2 5-3 5-3 5-3 5-3 7 Performance Rushing 5-3 5-3 5-3 5-3 7 Performance Rushing 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3 5-3	Media Social Soc	Medium High Medium High Medium E Hover Distance Extremely High Extremely High High High High High High High High	Ingh Priction Mad Priction Low	We High Budget Options Additional follows Product Information Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests). Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests), extensively not commerce and distance prepared using present scar rate (per to the seed distance interests). Budget report to compared to commerce from some tables, extensively high present scar rate (per to the seed distance interests), extensively interests or the latest compared to commerce from some tables, extensively high present scar rate (per to tap and distance interests), extensively and per to the latest could be a seed of the latest and the lates
and one	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 PFH-480 PFH-480 PFH-480 CTL-6310N CTL-6310N CTL-6310N CTL-6310N CTL-6310N CTL-6310N CTL-6310N PFH-631 CTH-630 PFH-631	Esteronicy Figility Not Recommended to Usually in Recommendation Usually in Recommendation Usually into Recommended Highly for Recommended Cateronicy Figility Highly for Recommended February Figility for Recommended February Figility for Recommended February Figility for Recommended Recommended Recommended Highly for Recommended Highly for Recommended Highly Recommended February Figility Figure Highly Recommended February Figility Figure Highly Recommended February Figure February Fig	5/10 Prical/Performance Ranking 5/10 5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	90-130 USD 70-90	Performance Rushing 3-1 3-1 3-1 3-1 3-1 3-1 3-1 3-1 3-1 3-1	Media Media Section Se	Medium High Medium Ell R E Hover Distance Extremely High High High High High High High High	Nigh Priction Mid Priction Nigh Priction Nigh Priction Surface Real Low Priction Lo	We High Budget Options Additional falcease Product Information Additional falcease Product Information Budget report does compared to commerce for severe insister, demonstry high pressure our care (prior to severe demonstrate for severe insister, demonstrate for the severe insister (severe in the severe insister insister) and the severe insister insis
and on	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 Model Identifier PTH-680 PTH-680 CTC-63109M CTC-63109M CTC-63109M CTC-63109M CTC-63109M CTC-63109M Model Identifier PTH-631 PTH-631 PTH-631 PTH-630 PTH-	Estremity Highly Not Recommended Mecommendation Usual Park Intermended Highly Not Recommended Estremity Highly Not Recommended Factor Highly Not Recommended Facto	5/10 Prior/Performance Banking 5/10 5/10 5/10 5/10 5/10 5/10 5/10 5/10 6/10	90-130 USD 70-90	Performance Rushing 5-1	Money Mo	Medium Figh Medium Figh Medium E Mover Distance Externey Figh Figh Figh Figh Figh Figh Medium Mediu	Nigh Priction Mid Friction Nigh Priction Surface Yeal Surface Yeal Low Friction And Friction Mid Priction Mid Priction Mid Priction Mid Friction Mid Priction Mid Friction Mid	We High Budget Options Additional foliases Product Information Additional foliases Information Additional f
and and and and and and and and	CTH-680 TIL/H-680 TIL/H-680 Model Identifier PTH-480 PTH-480 PTH-480 TIL-680 PTH-480 TIL-680 TIL-680 Model Identifier PTH-681 TTH-680	Recommendation Usually Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Extremely Righly Not Recommended Recommended for two Mid Budget Recommended for two	5/10 Price/Performance Banking 5/10 5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	90-130 USD 70-90	Performance Banking 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Medium Smoothing Size Mardeaus Smoothing Size Mardeaus Smoothing Size Mardeaus Smoothing Size Size Mardeaus Smoothing Size Size Size Size Size Size Size Size	Medium Figh Medium Figh Medium Figh Medium Figh Medium Figh Figh Figh Figh Figh Medium Figh Figh Medium Figh Medium Figh Figh Figh Medium Figh Figh Figh Figh Medium Figh Figh Figh Figh Figh Figh Figh Figh	Nigh Friction Mid Friscion Nigh Frision Nigh Frision See Frision Low Friscion Mid Friscion Low Friscion Mid Friscion Low Friscion Mid Friscion Low Friscion Mid Friscion Low Friscion Mid Friscion Low Friscion Mid Friscion Mid Friscion Mid Friscion Mid Friscion Low Friscion Mid Friscion Mid Friscion Low Friscion Mid Friscion Unitable Friscion Low Mid Friscion Unitable Friscion Mid Friscion Unitable Friscion Mid Friscion Unitable Friscion Mid Frison Mid Friscion Mid Friscion Mid Friscion Mid Friscion Mid Frisc	we High Budget Options Additional factored Product Information Boarded report on company to commune or the season tablets, sectionally high pressure scar can join to be seen table to present the community of
and som	CTH-680 TIL/H-680 TIL/H-680 TIL/H-680 TIL/H-680 TIL/H-680 TIL-H-680 TIL-H-68	Esteronicy Figility Not Recommended to Mechanism Decommendation Outside the Recommendation Outside the Recommendation Outside the Recommendation Outside the Recommendation of the Recommendation of the Recommendation Outside the Recommend	5/10 Prical/Performance Ranking 5/10 5/10 5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	90-130 USD 70-00 USD 70-00 USD 70-00 USD 810 U	Performance Rushing 5-1	Medium State Medium Smoothing State Medium Smoothing State Medium Smoothing State St	Medium High Medium Br Merch Distance Service S	Ingh Priction Med Priction Med Priction Med Priction Suph relation Med Priction Suph relation Med Priction Suph relation Med Priction Suph relation Med Priction Suph relation Med Priction Suph relation Suph relation Suph relation Med Priction Suph relation Med	We High Budget Options Making and thread Product Information Making and Information Info
and one	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL-1-800 CTL-1-80	Extremely Highly Not Recommended Measuremendation Usually for Incommendation Usually for Incommended Usually for Incommended Usually for Incommended Highly two Incommended Highly two Incommended Extremely Highly for Incommended Extremely Highly for Incommended Extremely Highly for Incommended Extremely Highly Not Incommended Extremely Highly Not Incommended The Incommendation The Incommendation of the Indiget The Incommendation of t	5/10 Five/Purformance Banking 5/10 5	90-319 USD 70-80 USD 70-80 USD 70-80 USD 180 U	Performance Ranking 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	M. Nove But I be a be	Medium Figh Medium Figh Medium Figh Medium Figh Medium Esternish Figh Figh Figh Medium Figh Medium Figh Medium Figh Medium Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Figh Medium Figh Figh Figh Figh Medium Figh Figh Figh Figh Figh Figh Figh Figh	Ingh Priction Mad Friscion Mad Friscion Mad Friscion September 1 S	We High Budget Options Additional foliacest Product Information Additional foliacest Information Addi
and om	CTH-680 TIL/H-680 Model Identifier PTH-680 PTH-680 PTH-680 PTH-680 CTH-6810 CTH-6810 CTH-6810 CTH-6810 Model Identifier PTH-681 CTH-6810 CTH-6810	Estorenia y Righly Not Recommended Usually Not Recommended Usually Not Recommended Usually Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Highly Not Recommended Estorenia Yighly Not Recommended Estorenia Yighly Not Recommended Estorenia Yighly Not Recommended Estorenia Yighly You The Recommended Estorenia Yighly You The Recommended Recommended To the Middle Middle Recommended To the Middle Recommended To t	5/10 Price/Performance Banking 5/10 5/10 5/10 5/10 5/10 6/10 6/10 6/10 6/10 6/10 6/10 6/10 6	90-130 USD 70-90	Performance Banking 1-1 1-2 1-3 1-3 1-3 1-3 1-3 1-3	Medium Smoothin Smoot	Medium reght	Ingh Priction Med Friscion Med Friscion Med Friscion Low Friscion Med Friscion Med Friscion Med Friscion Med Friscion Med Friscion Med Friscion Low Friscion Low Friscion Med Friscion Low Friscion Med Friscion Low Friscion Med Friscion Low Low Med Friscion Low	which and the properties of the company of the comment of the company of the comment of the company of the comment of the company of the comp
and om	CTH-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL/H-680 CTL-1-800 CTL-1-80	Extremely Highly Not Recommended Measuremendation Usually for Incommendation Usually for Incommended Usually for Incommended Usually for Incommended Highly two Incommended Highly two Incommended Extremely Highly for Incommended Extremely Highly for Incommended Extremely Highly for Incommended Extremely Highly Not Incommended Extremely Highly Not Incommended The Incommendation The Incommendation of the Indiget The Incommendation of t	5/10 Five/Purformance Banking 5/10 5	90-310 USD 70-90 USD 70-90 USD 70-90 USD 810 U	Performance Runking 5-1	M. Nove But I be a be	Medium Figh Medium Figh Medium Figh Medium Figh Medium Esternish Figh Figh Figh Medium Figh Medium Figh Medium Figh Medium Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Medium Figh Figh Figh Figh Medium Figh Figh Figh Figh Medium Figh Figh Figh Figh Figh Figh Figh Figh	Ingh Priction Med Priction Med Priction Med Priction Med Priction Low Freshin Low Freshin Med Priction Low Med Freshin Med Priction Low	We High Budget Options Additional foliacest Product Information Additional foliacest Information Addi

Kuuube's Info

Tablet Sheets and Guides

<u>Kuuube's Tablet Buying Guide</u>

<u>Kuuube's Wacom Tablet Mastersheet</u> <u>Kuuube's Wacom Tablet Pen Compatibility Mastersheet</u>

Kuuube's Wacom Pen Nib Guide

Kuuube's Wacom Pen Nib Compatibility Mastersheet

Info

If you need to contact me personally, join my discord. I may not reply elsewhere.

osu! Profile

Discord Server

<u>Github</u>

<u>Youtube</u>

- [1] (PTZ-430, PTZ-431W, PTZ-630, PTZ-631W, PTZ-930, PTZ-1231W)
- [2] (XD-0405-U, XD-0608-U, XD-0912-U, XD-1212-U, XD-1218-U)
- [3] (GD-0405-U, GD-0608-U, GD-0912-U, GD-1212-U, GD-1218-U)
- [4] (CTE-460, CTE-660)
- [5] (CTE-450, CTE-650)
- [6] (CTE-440, CTE-640)
- [7] (CTE-430, CTE-630)
- [8] (FW-300, FB-630)
- [9] (CTF-430, CTF-221, CTF-420)
- [10] (FT-0203-U, FT-0405-U)
- [11] (ET-0405A-U, ET-0507A-U)